

BENTLEY

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE





STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Pan burner with Realistic Flame Pattern
- · Safety Screen Barrier
- Proflame II (PF2) Models include Remote Control: features flame, fan, thermostat, smart thermostat (ZCV39NHE2, ZCV39LPHE2, ZCV42NHE2, ZCV42LPHE2 Models only)

OPTIONAL FEATURES

Fan Kit: Heat activated with variable speed control

Designer Doors: Arch, Straight Black (2 options)

Surrounds: Hearth Mount, Picture Frame, Slim Line Picture Frame

• ZCV39 Surrounds

Hearth Mount 4" Wide (Covers 405%"W x 35"H) Picture Frame 4" Wide (Covers 405%"W x 37"H) Picture Frame 15%" Wide (Covers 361%"W x 321/2"H)

• ZCV42 Surrounds

Hearth Mount 4" Wide (Covers 445%"W x 381%"H)
Picture Frame 4" Wide (Covers 445%"W x 401%"H)
Picture Frame 15%" Wide (Covers 401%"W x 355%"H)

Liners: Porcelain Reflective or Brick

Glass Tray: Contemporary Rocks (2 options), Driftwood Set (2 options), Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs.

Log Sets: 10 Piece Split Oak, 5 Piece Split Oak, or Two Driftwood Log Set options

Accent Lighting: for use with the Glass Tray (Dealer Installed Item)

Remotes Controls: Millivolt or IPI PF1

Thermostats: Wall Mount or Programmable

ACCESSORY OPTIONS

LINERS

Traditional **Brick Liner**



Herringbone **Brick Liner**



Red Herringbone **Brick Liner**



Stacked **Brick Liner**



Fluted Liner



Porcelain Reflective Liner

MEDIA OPTIONS (GLASS TRAY REQUIRED)



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set



RBCB1 Multi-Colored Cannonballs

DESIGNER DOORS







WALL SURROUND

Black

LOG SETS



MQ39D 4-piece MQ42D 6-piece Driftwood Log Set (Glass Tray Required)



Driftwood Log Set (Glass Tray Required)



MQLOGF9 10-piece Split Oak Log Set



LOGF3 5-piece Split Oak Log Set

REMOTE CONTROLS

(Millivolt or IPI PF1): Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control







PF2 (Included) PF1 or MV GFRC

THERMOSTATS

Wall Mount Thermostat or **Programmable Thermostat**



Bring the **BIG VIEW INDOORS**

With an expansive glass viewing area and clever designer options for customizing the look to suit your personal style, the **Bentley** by Marquis is generating some serious attention.

Available in two sizes, you can choose from the Decorative-rated fireplace for ambiance and taking the chill out of the room, or the Heater-rated version for additional warmth.

With so much style and attention to detail, it's no wonder people are focused on the view indoors!

Visit marquisfireplaces.net to see the latest evolution in fireplaces.



Model	Fuel	Gas Control	Input Max.	Input Min.	FE (P.4.1-15)	Glass Size
ZCV39N / ZCV39NE	Natural	Millivolt / IPI	25,000 BTU	16,750 BTU	52.35% / 54.24%	33"W x 28 5/8"H
ZCV39LP / ZCV39LPE	Propane	Millivolt / IPI	25,000 BTU	20,000 BTU	52.35% / 54.24%	33"W x 28 5/8"H
ZCV39NH / NHE ZCV39NHE2	Natural Natural	Millivolt / IPI Millivolt / IPI	28,000 BTU 28,000 BTU	19,000 BTU 19,000 BTU	63.81% / 66.17% 66.17%	33"W x 28 5%"H 33"W x 28 5%"H
ZCV39LPH / LPHE ZCV39LPHE2	Propane Propane	Millivolt / IPI Millivolt / IPI	29,000 BTU 29,000 BTU	23,000 BTU 23,000 BTU	66.82% / 68.65% 68.65%	33"W x 28 5%"H 33"W x 28 5%"H
ZCV42N / ZCV42NE	Natural	Millivolt / IPI	25,000 BTU	16,500 BTU	52.86% / 54.95%	37 1/8"W x 31 3/4"H
ZCV42LP / ZCV42LPE	Propane	Millivolt / IPI	25,000 BTU	19,500 BTU	52.86% / 54.95%	37 1/8"W x 31 3/4"H
ZCV42NH / NHE ZCV42NHE2	Natural Natural	Millivolt / IPI Millivolt / IPI	29,500 BTU 29,500 BTU	20,000 BTU 20,000 BTU	64.53% / 66.48% 66.48%	37 1/8"W x 31 3/4"H 37 1/8"W x 31 3/4"H
ZCV42LPH / LPHE ZCV42LPHE2	Propane Propane	Millivolt / IPI Millivolt / IPI	29,000 BTU 29,000 BTU	23,000 BTU 23,000 BTU	66.65% / 68.77% 68.77%	37 1/8"W x 31 3/4"H 37 1/8"W x 31 3/4"H


4/7" Flex or 4 x 65/8 Hard Pipe* or Power Vent

Venting

*Approved with Kingsman Flex Vent, MG Duravent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting. ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.

Model	Height Actual	•		Front Width Actual Framing			Depth Actual Framing	
ZCV39 ZCV42	37¾" 40¾"	37%" 41"		39¾" 42¾"	39½" 42½"	18³/s 18³/s		-
Model	Α	В	С	D	E	F	G	Н
ZCV39 ZCV42	39¾" 42¾"	241/8" 271/4"	295/8" 335/8"	33" 37%"	34½" 37½"	37¾" 40%"	3" 2½"	29¾3 32½"

*Dependent of finishing material used

















- 2. ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39RLT Refractory Fiber Brick Liner (Traditional Brick), MQ39DD3BL Designer Door (Series 3, Black)
 - 3. ZCV39N, LOGF3 Log Set (5 Piece), ZCV39RLH Refractory Fiber Brick Liner (Herringbone Brick), MQ39DD1BL Designer Door (Series 1, Black).
- ZCV39N, ZCV39GT Glass Tray, MQSTONE Decorative Stones, ZCV39PL Porcelain Reflective Panel Liner.
- 5. ZCV39N, MQLOGF9 Log Set (10 Piece), ZCV39PL Porcelain Reflective Liner.
- ZCV39N, ZCV39GT Glass Tray, MQROCK3 Contemporary Rock Collection (Multi-Colored), ZCV39PL Porcelain Reflective Panel Liner.
- 7. ZCV42N, MQ42D Driftwood Log Set, ZCV42GT Glass Tray, ZCV42PL Porcelain Reflective Panel Liner, ZCV42S1BL Surround (Hearth Mount 4" Wide).





Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: ZCV39N, ZCV39NE, ZCV39LP, ZCV39LPE, ZCV42N, ZCV42NE, ZCV42LP, ZCV42LPE are Certified to: ANSI Z2150-2012, CSA 2.22-2012, CGA 2.17-M91 Vented Gas Fireplace. ZCV39NH, ZCV39NHE, ZCV39LPH, ZCV39LPHE, ZCV42NH, ZCV42LPH, ZCV42LPHE are Certified to: ANSI Z21.88a-2012, CSA 2.33a-2012, CGA 2.17-M91 Vented Gas Fireplace Heater.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

Unit Illustrated: Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQ39D Driftwood Log Set (4 Piece), MQSTONE Decorative Stones, VLBIT6 Log Bits (Small, 6 Piece Kit), ZCV39PL Porcelain Reflective Panel Liner, ZCV39S1PFBL Surround (Picture Frame 4" Wide).

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue Winnipeg, Manitoba, CAN R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960 marquisfireplaces.net

Printed in Canada B081 – 07/18



Look for the **EnerGuide**Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4.1-15